

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

HIGHTEC SYNTH RS SAE 0W-40

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture

Motor oil

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|--------------------------|-------------------------------|
| Company name: | ROWE MINERALOELWERK GMBH | |
| Street: | Langgewann 101 | |
| Place: | D-67547 Worms | |
| Telephone: | +49 (0)6241 5906-0 | Telefax: +49 (0)6241 5906-999 |
| e-mail: | info@rowe-mineraloel.com | |
| Internet: | www.rowe-mineraloel.com | |
| Responsible Department: | Kundenservice | |

1.4. Emergency telephone number: Giftnotruf Mainz (DE; E) +49 (0)6131-19240

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes serious eye irritation.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

2.2. Label elements
Regulation (EC) No. 1272/2008
Hazard components for labelling

Calcium karyl sulfonate, long-chain

Signal word: Warning

Pictograms:

Hazard statements

| | |
|------|--|
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements

| | |
|-----------|--|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P501 | Dispose of contents/container to of the disposal according to local regulations. |

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 2 of 11

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

| CAS No | Chemical name | Quantity |
|-------------|---|---------------|
| | EC No | |
| | Index No | |
| | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | |
| 68037-01-4 | 1-decene homopolymer, hydrated (hydrated polydecene) | 30 - < 60 % |
| | 500-183-1 | |
| | 01-2119486452-34 | |
| | Asp. Tox. 1; H304 | |
| 147880-09-9 | Polyolefin-polyaminsuccinimid, Polyol | 2.5 - < 5 % |
| | | |
| | Aquatic Chronic 4; H413 | |
| 68784-31-6 | Dithiophosphorsäure, gemischt O,O-bis (sec-Bu und 1,3-dimethylbutyl)ester,Zinksalze | 1 - < 2.5 % |
| | 272-238-5 | |
| | 01-2119657973-23 | |
| | Eye Dam. 1, Aquatic Chronic 2; H318 H411 | |
| 68784-26-9 | Phenol, dodecyl-, sulphurated, carbonate, calcium salts, overbased | 1 - < 2.5 % |
| | 272-234-3 | |
| | Aquatic Chronic 4; H413 | |
| 36878-20-3 | Bis(nonylphenyl)amine | 1 - < 2.5 % |
| | 253-249-4 | |
| | 01-2119488911-28 | |
| | Aquatic Chronic 4; H413 | |
| 722503-68-6 | Calcium karyl sulfonate, long-chain | 1 - < 2.5 % |
| | | |
| | Skin Sens. 1, Aquatic Chronic 4; H317 H413 | |
| 121158-58-5 | Phenole, dodecyl-, branched | 0.1 - < 0.3 % |
| | 310-154-3 | |
| | 01-2119513207-49 | |
| | Repr. 1A, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H360 H314 H318 H400 H410 | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Self-protection of the first aider

Change contaminated clothing.

Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 3 of 11

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Caution if victim vomits: Risk of aspiration!

Aspiration hazard: Call a physician immediately.

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO₂). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:

Carbon dioxide (CO₂). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H₂S).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. carbon black

In case of fire and/or explosion do not breathe fumes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Wear suitable protective clothing.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7
 Personal protection equipment: see section 8
 Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Protect skin by using skin protective cream. Wash hands before breaks and after work.
 Conditions to avoid: aerosol or mist generation.

Advice on protection against fire and explosion

No special measures are necessary.
 When using do not smoke.
 Fire class: B (DIN-/EN-Norms: EN2)

Further information on handling

No data available

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.
 Keep away from heat. Keep/Store only in original container.

Hints on joint storage

Do not store together with: Food and fodder, Oxidizing agents.

Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater. Keep away from heat.

7.3. Specific end use(s)

Motor oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|-----------------------|----------------|----------|------------------------|
| 36878-20-3 | Bis(nonylphenyl)amine | | | |
| Consumer DNEL, long-term | | inhalation | systemic | 1,09 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 0,31 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 0,31 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | systemic | 4,37 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 0,62 mg/kg bw/day |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 5 of 11

PNEC values

| CAS No | Substance | |
|--|-----------------------|--------------|
| Environmental compartment | | Value |
| 36878-20-3 | Bis(nonylphenyl)amine | |
| Micro-organisms in sewage treatment plants (STP) | | 1 mg/l |
| Soil | | 263000 mg/kg |
| Marine sediment | | 13200 mg/kg |
| Freshwater sediment | | 132000 mg/kg |
| Marine water | | 0,01 mg/l |
| Freshwater | | 0,1 mg/l |

Additional advice on limit values

No data available

8.2. Exposure controls

Appropriate engineering controls

No data available

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
 Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. When using do not eat, drink or smoke.

Protect skin by using skin protective cream.

Eye/face protection

Suitable eye protection: goggles. In fine dispersion/spraying/misting: Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Skin protection

Wear suitable protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

No data available

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 6 of 11

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: yellow-brown
 Odour: characteristic

| | | |
|-----------|----------------|--------------------|
| | | Test method |
| pH-Value: | not applicable | DIN 51369 |

Changes in the physical state

| | | |
|--|----------------|--------------|
| Melting point: | not determined | |
| Initial boiling point and boiling range: | not determined | |
| Flash point: | >200 °C | DIN ISO 2592 |

Flammability

| | |
|--------|----------------|
| Solid: | not applicable |
| Gas: | not applicable |

| | | |
|-------------------------|----------------|-----------|
| Lower explosion limits: | not determined | Literatur |
| Upper explosion limits: | not determined | Literatur |

Ignition temperature: No data available

Auto-ignition temperature

| | |
|--------|----------------|
| Solid: | not applicable |
| Gas: | not applicable |

Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

| | | |
|------------------|----------|-------------|
| Vapour pressure: | <0,1 hPa | calculated. |
|------------------|----------|-------------|

| | | |
|---------------------|-------------|-----------|
| (at 20 °C) | | |
| Density (at 15 °C): | ~0,85 g/cm³ | DIN 51757 |

| | |
|-------------------|-----------------------|
| Water solubility: | practically insoluble |
| (at 20 °C) | |

Solubility in other solvents

Soluble in hydrocarbons (mineral oil.)

| | | |
|--------------------------|-------------------|-----------|
| Partition coefficient: | not determined | |
| Viscosity / kinematic: | 13,8-15 mm²/s | DIN 51562 |
| (at 100 °C) | | |
| Vapour density: | not determined | |
| Evaporation rate: | not determined | |
| Solvent separation test: | No data available | |
| Solvent content: | none Solvents | |

9.2. Other information

| | |
|----------------|----------------|
| Solid content: | not determined |
| none | |

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 7 of 11

10.2. Chemical stability

No thermal decomposition if properly stored / handled /transported.
Onset of decomposition at elevated temperatures (>65°C): (e.g. H2S)

10.3. Possibility of hazardous reactions

possible with strong oxidizing agents. This product is stable under normal conditions. Hazardous reactions are unlikely.

10.4. Conditions to avoid

Oxidizing agents, strong. Etchant and acids

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No thermal decomposition if properly stored / handled /transported.

Further information

No thermal decomposition if properly stored / handled /transported.
Onset of decomposition at elevated temperatures (>65°C): (e.g. H2S)

SECTION 11: Toxicological information
11.1. Information on toxicological effects
Toxicokinetics, metabolism and distribution

No data available.

Acute toxicity

No data available.
Irritant effect on the respiratory tract: Do not breathe gas/vapour.

| CAS No | Chemical name | | | | |
|------------|--|------------------|---------|----------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 68037-01-4 | 1-decene homopolymer, hydrated (hydrated polydecene) | | | | |
| | oral | LD50 >2000 mg/kg | | | |
| | dermal | LD50 >2000 mg/kg | | | |
| 36878-20-3 | Bis(nonylphenyl)amine | | | | |
| | oral | LD50 >5000 mg/kg | Rat | OECD 401 | |
| | dermal | LD50 >2000 mg/kg | Rabbit | OECD 402 | |

Irritation and corrosivity

Irritant effect on the skin: none
Frequent and prolonged eye contact may cause eye irritation.

Sensitising effects

Due to the very low concentration of sensitizing substances, the finished product can be assumed not to be skin-sensitizing.

Carcinogenic/mutagenic/toxic effects for reproduction

The product is not classified.

STOT-repeated exposure

Frequently or prolonged contact with skin may cause dermal irritation.

Specific effects in experiment on an animal

No data available.

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 8 of 11

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience
Observations relevant to classification

not applicable

Other observations

Has de-greasing effect on the skin.

Further information

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

SECTION 12: Ecological information
12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. No data available.

| CAS No | Chemical name | | | | | |
|------------|--|---------------|-----------|---------|--|----------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 68037-01-4 | 1-decene homopolymer, hydrated (hydrated polydecene) | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 1000 | 96 h | Oncorhynchus mykiss (Rainbow trout) | |
| | Acute algae toxicity | ErC50 mg/l | > 1000 | 72 h | | |
| 36878-20-3 | Bis(nonylphenyl)amine | | | | | |
| | Acute fish toxicity | LC50 mg/l | >100 | 96 h | Brachydanio rerio (zebra-fish) | OECD 203 |
| | Acute algae toxicity | ErC50 | 600 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD 201 |
| | Acute crustacea toxicity | EC50 mg/l | >100 | 48 h | Daphnia magna | OECD 202 |

12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.

| CAS No | Chemical name | | | | |
|------------|---|-------|----|--------|--|
| | Method | Value | d | Source | |
| | Evaluation | | | | |
| 36878-20-3 | Bis(nonylphenyl)amine | | | | |
| | Aerobic biological treatment | 1% | 28 | | |
| | Not easily bio-degradable (according to OECD-criteria). | | | | |

12.3. Bioaccumulative potential

No data available.

Do not allow uncontrolled discharge of product into the environment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 9 of 11

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|--|---------|
| 68037-01-4 | 1-decene homopolymer, hydrated (hydrated polydecene) | > 6.5 |
| 36878-20-3 | Bis(nonylphenyl)amine | >7,6 |

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

Aquatic organisms: No data available.
 Effects in sewage plants No data available.
 No data available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Waste disposal number of waste from residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

Waste disposal number of used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.

SECTION 14: Transport information
Land transport (ADR/RID)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 10 of 11

| | |
|---|--|
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |
| Marine transport (IMDG) | |
| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |
| Air transport (ICAO-TI/IATA-DGR) | |
| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |
| 14.5. Environmental hazards | |
| ENVIRONMENTALLY HAZARDOUS: | no |
| 14.6. Special precautions for user | |
| | No dangerous good in sense of this transport regulation. |
| 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code | |
| | No dangerous good in sense of this transport regulation. |

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 30: Phenole, dodecyl-, branched

Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenils work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information
Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,11,12,13,14,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 0W-40

Revision date: 03.01.2018

Page 11 of 11

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|------|---|
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H360 | May damage fertility or the unborn child. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)