

according to Regulation (EC) No 1907/2006

# **HIGHTEC SYNTH RS SAE 10W-60**

Revision date: 03.07.2019

Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

HIGHTEC SYNTH RS SAE 10W-60

UFI:

93UW-7JP8-Q00T-6T1M

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture
------------------------------

Motor oil

## 1.3. Details of the supplier of the safety data sheet

Company name:	ROWE MINERALOELWERK GMBH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax:+49 (0)6241 5906-999
e-mail:	info@rowe-mineraloel.com	
Internet:	www.rowe-mineraloel.com	
Responsible Department:	SDB@rowe.com.de	
1.4. Emergency telephone	Giftnotruf Mainz (DE; E) +49 (0)6131-19240	
number		

# <u>number:</u>

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Skin Sens. 1B Hazard Statements: May cause an allergic skin reaction.

# 2.2. Label elements

### Regulation (EC) No. 1272/2008

### Hazard components for labelling

C14-C16-C18 Alkylphenole

Signal word:

### Pictograms:



Warning

# Hazard statements

H317

May cause an allergic skin reaction.

### **Precautionary statements**

ecautionary statement	IS
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to Dispose of waste according to applicable legislation

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**



according to Regulation (EC) No 1907/2006

# **HIGHTEC SYNTH RS SAE 10W-60**

Revision date: 03.07.2019

Page 2 of 11

# 3.2. Mixtures

## Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification		·	
151006-62-1	Hexatriacontan, branched			15 - < 30 %
	417-070-7	601-064-00-8	01-0000016388-62	
	Aquatic Chronic 4; H413	-		
36878-20-3	Bis(nonylphenyl)amine			1 - < 2.5 %
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413			
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)			1 - < 2.5 %
	298-577-9		01-2119543726-33	
	Skin Irrit. 2, Eye Dam. 1, Aquatic C	hronic 2; H315 H318 H411		
1190625-94-5	5 C14-C16-C18 Alkylphenole			1 - < 2.5 %
	931-468-2		01-2119498288-19	
	Skin Sens. 1B, STOT RE 2; H317 H			

Full text of H and EUH statements: see section 16.

### **Further Information**

Test data prove that the contained zinc component does not lead to a classification of the product.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Self-protection of the first aider

Change contaminated clothing.

Do not put any product-impregnated cleaning rags into your trouser pockets.

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.



according to Regulation (EC) No 1907/2006

**HIGHTEC SYNTH RS SAE 10W-60** 

Revision date: 03.07.2019

Page 3 of 11

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Caution if victim vomits: Risk of aspiration! Aspiration hazard: Call a physician immediately.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

## Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:

Carbon dioxide (CO2). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H2S).

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. carbon black In case of fire and/or explosion do not breathe fumes.

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation. Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product. Wear suitable protective clothing.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

### Advice on safe handling

Protect skin by using skin protective cream. Wash hands before breaks and after work. Conditions to avoid: aerosol or mist generation.

## Advice on protection against fire and explosion

No special measures are necessary.

When using do not smoke.



Page 4 of 11

according to Regulation (EC) No 1907/2006

# **HIGHTEC SYNTH RS SAE 10W-60**

Revision date: 03.07.2019

Fire class: B (DIN-/EN-Norms: EN2)

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

### Keep container tightly closed.

Keep away from heat. Keep/Store only in original container.

### Hints on joint storage

Do not store together with: Food and fodder, Oxidizing agents.

# Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater. Keep away from heat.

### 7.3. Specific end use(s)

Motor oil

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
36878-20-3	Bis(nonylphenyl)amine			
Worker DNEL,	long-term	dermal		0,62 mg/kg bw/day

### **PNEC** values

CAS No	Substance	
Environmental compartment Value		Value
36878-20-3 Bis(nonylphenyl)amine		
Freshwater 0,1 mg/l		0,1 mg/l

### 8.2. Exposure controls



### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. When using do not eat, drink or smoke.

Protect skin by using skin protective cream. Keep away from food, drink and animal feedingstuffs. Do not breathe vapour.

## Eye/face protection

Wear eye protection/face protection. In fine dispersion/spraying/misting: Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.



according to Regulation (EC) No 1907/2006

**HIGHTEC SYNTH RS SAE 10W-60** 

Revision date: 03.07.2019

### Skin protection

@1501.B151149. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties Physical state: liquid Colour: yellow-brown Odour: characteristic Test method not applicable DIN 51369 pH-Value: Changes in the physical state Melting point: not determined Initial boiling point and boiling range: not determined Pourpoint:: ~-30 °C DIN ISO 3016 Flash point: >200 °C DIN ISO 2592 Flammability Solid: not applicable Gas: not applicable **Explosive properties** The product is not: Explosive. not determined Literatur Lower explosion limits: Upper explosion limits: not determined Literatur No data available Ignition temperature: Auto-ignition temperature Solid: not applicable Gas: not applicable not determined Decomposition temperature: **Oxidizing properties** Not oxidising. Vapour pressure: <0,1 hPa calculated. (at 20 °C) 0,85 g/cm3 DIN 51757 Density (at 15 °C): Water solubility: practically insoluble (at 20 °C) Solubility in other solvents Soluble in hydrocarbons (mineral oil.) Partition coefficient: not determined Viscosity / kinematic: ~63 mm²/s DIN 51562 (at 40 °C) Vapour density: not determined Evaporation rate: not determined Solvent separation test: No data available Solvent content: none Solvents

Page 5 of 11



according to Regulation (EC) No 1907/2006

# **HIGHTEC SYNTH RS SAE 10W-60**

Revision date: 03.07.2019

# 9.2. Other information

Solid content:

none

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

No thermal decomposition if properly stored / handled /transported. Onset of decomposition at elevated temperatures (>65°C): (e.g. H2S)

# 10.3. Possibility of hazardous reactions

possible with strong oxidizing agents. This product is stable under normal conditions. Hazardous reactions are unlikely.

## 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

Oxidizing agents, strong.

# 10.6. Hazardous decomposition products

none

### **Further information**

No thermal decomposition if properly stored / handled /transported.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### Acute toxicity

No data available.

Irritant effect on the respiratory tract: Do not breathe gas/vapour.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
36878-20-3	Bis(nonylphenyl)amine				
	oral	LD50 >5000 mg/kg	) Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	D Rabbit	OECD 402	
93819-94-4	Zinc bis[O-(6-methylhepty	yl)]bis[O-(secbutyl)]l	bis(dithiophosphate)		
	oral	LD50 2600 mg/kg			
	dermal	LD50 >3160 mg/kg		OECD 402	

### Irritation and corrosivity

Irritant effect on the skin: none

Frequent and prolonged eye contact may cause eye irritation.

### Sensitising effects

Due to the very low concentration of sensitizing substances, the finished product can be assumed not to be skin-sensitizing.

### Carcinogenic/mutagenic/toxic effects for reproduction The product is not classified.

Page 6 of 11

0



according to Regulation (EC) No 1907/2006

# **HIGHTEC SYNTH RS SAE 10W-60**

Revision date: 03.07.2019

Page 7 of 11

# STOT-repeated exposure

Frequently or prolonged contact with skin may cause dermal irritation.

## Specific effects in experiment on an animal

No data available.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. none

### Practical experience

### Observations relevant to classification

not applicable

### Other observations

Has de-greasing effect on the skin.

# Further information

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
36878-20-3	Bis(nonylphenyl)amine						
	Acute fish toxicity	LC50 mg/l	>100		Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50	600 mg/l		Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna	OECD 202	
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)						
	Acute fish toxicity	LC50	4,5 mg/l		Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50	2,1 mg/l	96 h	Selenastrum capricornutum	OECD 201	
	Acute crustacea toxicity	EC50	5,4 mg/l	48 h	Daphnia magna	OECD 202	

## 12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.



according to Regulation (EC) No 1907/2006

# HIGHTEC SYNTH RS SAE 10W-60

Revision date: 03.07.2019

Page 8 of 11

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation		-	
36878-20-3	3 Bis(nonylphenyl)amine			
	Aerobic biological treatment	1%	28	
	Not easily bio-degradable (according to OECD-criteria).			
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)			
	OECD 301 B 1,5% 28			
	Not easily bio-degradable (according to OECD-criteria).			

## 12.3. Bioaccumulative potential

## No data available.

Do not allow uncontrolled discharge of product into the environment.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	Bis(nonylphenyl)amine	>7,6
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)	0,9

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

Aquatic organisms: No data available. Effects in sewage plants No data available. No data available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

## List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

### List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.



according to Regulation (EC) No 1907/2006

# **HIGHTEC SYNTH RS SAE 10W-60**

Page 9 of 11

# Revision date: 03.07.2019

# **SECTION 14: Transport information**

and transport (ADR/RID)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
14.6. Special precautions for user	
No dangerous good in sense of this tra	nsport regulation.
14.7. Transport in bulk according to Annex I	of Marpol and the IBC Code
No dangerous good in sense of this tra	nsport regulation.
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture
EU regulatory information	
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)
(SEVESO III):	
Additional information	
According to EC directives or the corres	sponding national regulations the product does not have to be labelled.
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile

- work protection guideline' (94/33/EC).
- Water contaminating class (D):2 clearly water contaminatingSkin resorption/Sensitization:Causes allergic hypersensitivity reactions.



Page 10 of 11

according to Regulation (EC) No 1907/2006

**HIGHTEC SYNTH RS SAE 10W-60** 

Revision date: 03.07.2019

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,8,9,16.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose. 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1B; H317	Calculation method

### Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

# **HIGHTEC SYNTH RS SAE 10W-60**

Revision date: 03.07.2019

Page 11 of 11

H413

May cause long lasting harmful effects to aquatic life.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)