

according to Regulation (EC) No 1907/2006

### HIGHTEC TOPGEAR SAE 75W-90 S

Revision date: 10.07.2019

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

HIGHTEC TOPGEAR SAE 75W-90 S

UFI: UEEA-VQK5-S00F-SK3J

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Gear oil

### 1.3. Details of the supplier of the safety data sheet

Company name:	ROWE MINERALOELWERK GMBH		
Street:	Langgewann 101		
Place:	D-67547 Worms		
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999	
e-mail:	info@rowe-mineraloel.com		
Internet:	www.rowe-mineraloel.com		
Responsible Department:	SDB@rowe.com.de		

### 1.4. Emergency telephone number:

Giftnotruf Mainz (DE; E) +49 (0)6131-19240

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

Causes serious eye irritation.

May cause an allergic skin reaction.

b

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Polysulfides, di-tert-Bu

Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)

Magnesium metaborate

Signal word: Warning

Pictograms:



#### Hazard statements

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

#### Precautionary statements

P302+P352 IF ON SKIN: Wash with plenty of water.

P363 Wash contaminated clothing before reuse.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

according to Regulation (EC) No 1907/2006

## HIGHTEC TOPGEAR SAE 75W-90 S

Revision date: 10.07.2019

Page 2 of 10

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container to Dispose of waste according to applicable legislation..

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	GHS Classification
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated	5 - < 15 %
	265-157-1	01-2119484627-25
	Asp. Tox. 1; H304	
	2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with eicosyl 2-methyl-2-propenoate, hexadecyl 2-methyl-2-propenoate, methyl 2-methyl-2-propenoate, octadecyl 2-methyl-2-propenoate, pentadecyl 2-methyl-2-propenoate, tetradecyl 2-methyl-2-propenoate and	5 - < 15 %
	Eye Irrit. 2; H319	
68937-96-2	Polysulfides, di-tert-Bu	2.5 - < 5 %
	273-103-3	01-2119540515-43
	Skin Sens. 1B, Aquatic Chronic 3; H317 H412	
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	1 - < 2.5 %
	931-384-6	01-2119493620-38
	Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2; H302 H318 H317 H411	
13703-82-7	Magnesium metaborate	0.3 - < 1 %
	237-235-5	01-2120769073-53
	Skin Sens. 1B; H317	
597-82-0	O,O,O-triphenyl phosphorothioate	0.3 - < 1 %
	209-909-9	01-2119979545-21
	Repr. 2; H361fd	

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Self-protection of the first aider

Change contaminated clothing.

Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh

according to Regulation (EC) No 1907/2006

**HIGHTEC TOPGEAR SAE 75W-90 S**

Revision date: 10.07.2019

Page 3 of 10

air and keep at rest in a position comfortable for breathing.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.  
In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water.  
If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Caution if victim vomits: Risk of aspiration!  
Aspiration hazard: Call a physician immediately.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.  
Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Foam.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:  
Carbon dioxide (CO<sub>2</sub>). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H<sub>2</sub>S).

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. carbon black  
In case of fire and/or explosion do not breathe fumes.  
In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.  
Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.  
Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product.  
Wear suitable protective clothing.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the

### HIGHTEC TOPGEAR SAE 75W-90 S

Revision date: 10.07.2019

Page 4 of 10

recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Protect skin by using skin protective cream. Wash hands before breaks and after work.

Conditions to avoid: aerosol or mist generation.

##### Advice on protection against fire and explosion

No special measures are necessary.

When using do not smoke.

Fire class: B (DIN-/EN-Norms: EN2)

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed.

Keep away from heat. Keep/Store only in original container.

##### Hints on joint storage

Do not store together with: Food and fodder, Oxidizing agents.

##### Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater. Keep away from heat.

#### 7.3. Specific end use(s)

Gear oil

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls



##### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. When using do not eat, drink or smoke.

Protect skin by using skin protective cream.

Keep away from food, drink and animal feedingstuffs.

Do not breathe vapour.

##### Eye/face protection

Suitable eye protection: goggles. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is

## HIGHTEC TOPGEAR SAE 75W-90 S

Revision date: 10.07.2019

Page 5 of 10

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

### Skin protection

Wear suitable protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	light brown
Odour:	characteristic

#### Test method

pH-Value:	not applicable	DIN 51369
-----------	----------------	-----------

### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Pourpoint::	<-39 °C DIN ISO 3016
Flash point:	>215 °C ISO 2592

### Flammability

Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	No data available

### Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined

### Oxidizing properties

Not oxidising.

Vapour pressure:	<0,1 hPa	calculated.
(at 20 °C)		
Density (at 15 °C):	~0,863 g/cm³	DIN 51757
Water solubility:	practically insoluble	
(at 20 °C)		

### Solubility in other solvents

Soluble in hydrocarbons (mineral oil.)

Partition coefficient:	not determined
Viscosity / kinematic:	~15,4 mm²/s DIN 51562
(at 100 °C)	
Vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	No data available

according to Regulation (EC) No 1907/2006

## HIGHTEC TOPGEAR SAE 75W-90 S

Revision date: 10.07.2019

Page 6 of 10

Solvent content:

none Solvents

### 9.2. Other information

Solid content:

0

none

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

No thermal decomposition if properly stored / handled /transported.

Onset of decomposition at elevated temperatures (>65°C)

### 10.3. Possibility of hazardous reactions

possible with strong oxidizing agents.

This product is stable under normal conditions. Hazardous reactions are unlikely.

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

none

### Further information

No thermal decomposition if properly stored / handled /transported.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicokinetics, metabolism and distribution

No data available.

#### Acute toxicity

No data available.

Irritant effect on the respiratory tract: Do not breathe gas/vapour.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated				
	oral	LD50 >2000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rabbit	OECD 402	
	inhalation (4 h) vapour	LC50 >5000 mg/l	Rat	OECD 403	
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)				
	oral	ATE 500 mg/kg			

#### Irritation and corrosivity

Frequent and prolonged eye contact may cause eye irritation.

#### Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

## HIGHTEC TOPGEAR SAE 75W-90 S

Revision date: 10.07.2019

Page 7 of 10

The product is not classified.

### STOT-repeated exposure

Frequently or prolonged contact with skin may cause dermal irritation.

### Specific effects in experiment on an animal

No data available.

### Practical experience

### Observations relevant to classification

Has de-greasing effect on the skin.

### Other observations

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Fish	OECD 203	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h		OECD 201	
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia	OECD 202	
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)					
	Acute crustacea toxicity	EC50 91,4 mg/l	48 h	Daphnia magna		

### 12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.

### 12.3. Bioaccumulative potential

No data available.

Do not allow uncontrolled discharge of product into the environment.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated	@1719.B0172 86 >4

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

Aquatic organisms: No data available.

Effects in sewage plants No data available.

according to Regulation (EC) No 1907/2006

## HIGHTEC TOPGEAR SAE 75W-90 S

Revision date: 10.07.2019

Page 8 of 10

No data available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

#### List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

#### List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

## HIGHTEC TOPGEAR SAE 75W-90 S

Revision date: 10.07.2019

Page 9 of 10

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Distillates (petroleum), heavy paraffinic, hydrotreated

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,3,9.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**HIGHTEC TOPGEAR SAE 75W-90 S**

Revision date: 10.07.2019

Page 10 of 10

H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*